





[SEQ. ID NO: 3] X-C-C-T-T-G-A-G-A-T-T-C-C-C-T-C 5'


G-G-A-A-C-T-C-T-A-A-A-G-G-G-A-G-X
[SEQ. ID NO: 4]












BEST AVAILABLE COPY

FIG. 6A FIG. 6B FIG. 6C












FIG. 9A







FIG. 9B





3' T-C-T-C-C-T-T-C-C-C-T-T-T-T-C 5' [SEQ ID NO: 9]



5' 3' X-T-C-T-C-C-T-T-C-C-C-T-T-T-T-C A-G-A-G-G-A-A-G-X T-C-T-C-C-T-T-C-C-C-T-T-T-C 5'

F-A-C-G-C-T-A-G-A-G-T-C-G-T-T-1 _[SEQ. ID NO: 10]

.-c-G-T-T-G-A-T-G-C-G-C-G-A-T-C-T-C-A-G-C-A-A--S- 5' 5' [SEQ. ID NO: 11]




FIG. 13A

transparent substrate

Modified DNA chemisorbed onto solid substrate


SA'


Analyte DNA

transparent substrate


Analyte DNA hybridized onto substrate


DNA modified colloids





Dark areas where nanoparticle aggregates are linked to substrate surface by analyte DNA






DNA modified colloids hybridized to bound analyte DNA




transparent substrate

thiol terminated modification of surface




gold nanoparticles






thiol modified DNA adsorbed onto particles

analyte DNA






transparent substrate


analyte DNA hybridized to

B


DNA modified nanoparticles




nanoparticle linker strand B.




dark areas where nanoparticle aggregates linked to substrate by analyte DNA



transparent substrate










FIG. 16A

24 Base Template

FIG. 16B

48 Base Template with Complementary 24 Base Filler


S-ATG-CTC-AAC-TCT GGC-AAT-TCT-GCT-CCG-TTA-GTA-CGT TAG-GAC-TTA-CGC-S 5' TAC-GAG-TTG-AGA-CCG-TTA-AGA-CGA-GGC-AAT-CAT-GCA-ATC-CTG-AAT-GCG 3'


FIG. 16C


72 Base Template with Complementary 48 Base Filler


✓ S-ATG-CTC-AAC-TCT GGC-AAT-TCT-GCT-CCG-TTA-GTA-CGT-ATA-TAA-CCT-GCG-AAA-TGC-CTG-TTG TAG-GAC-TTA-CGC-S ベ 5' TAC-GAG-TTG-AGA-CCG-TTA-AGA-CGA-GGC-AAT-CAT-GCA-TAT-ATT-GGA-CGC-TTT-ACG-GAC-AAC-ATC-CTG-AAT-GCG 3'


~












BEST AVAILABLE COPY



BEST AVAILABLE COPY

F16.21

Au/Latex hybrid

Fluorophore labeled oligonucleotide modified

latex probes


nanoparticle probes

Oligonucleotide modified Au Oligonucleotide

Target

BEST AVAILABLE COPY

FIG. 22



THE FLUORESCENT NANOPARTICLE PROBES PASS THROUGH THE MEMBRANE

THE FLUORESCENT CROSS-LINKED AGGREGATES ARE RETAINED BY THE MEMBRANE

Anthrax PCR Product

5'G GCG GAT GAG TCA GTA GTT AAG GAG GCT CAT AGA GAA GTA ATT AAT 3'C CGC CTA CTC AGT CAT CAA TTC CTC CGA GTA TCT CTT CAT TAA TTA

TCG TCA ACA <u>GAG GGA TTA TTG TTA AAT ATT GAT AAG GAT</u> ATA AGA AAA AGC AGT TGT CTC CCT AAT AAC AAT TTA TAA CTA TTC CTA TAT TCT TTT

ATA TTA TCC AGG GTT ATA TTG TAG AAA TTG AAG ATA CTG AAG GGC TT 3' TAT AAT AGG TCC CAA TAT AAC ATC TTT AAC TTC TAT GAC TTC CCG AA 5'

141 mer Anthrax PCR product [SEQ ID NO:36]

3' CTC CCT AAT AAC AAT

[SEQ ID NO:37]


3' TTA TAA CTA TTC CTA -

[SEQ ID NO:38]

Oligonucleotide-Nanoparticle Probes

Blocker Oligonucleotides

3' C CGC CTA CTC AGT CAT CAA TTC CTC CGA GT	[SEQ ID NO:39]
3' A TCT CTT CAT TAA TTA AGC AGT TGT	[SEQ ID NO:40]
3' TAT TCT TTT TAT AAT AGG TCC CAA TAT	[SEQ ID NO:41]
3' AAC ATC TTT AAC TTC TAT GAC TTC CCG AA	[SEQ ID NO:42]



SATELLITE PROBE

DETECTION SIGNAL





FIG. 25A











FIG. 25B























FIG. 26A




FIG. 26B

SEQ ID NO: 48

TAC-GAG-TTG-AGA-ATC-CTG-AAT-GCG S-[A]_{IO}-ATG-CTC-AAC-TCT TAG-GAC-TTA-CGC-[A]_{IO}-S-

SEQ ID NO: 46

SEQ ID NO:47 ST AVAILABLE COPY




FIG. 27C




FIG. 27D




FIG. 28A

FIG. 28B




FIG. 28C




FIG. 28D








FIG. 28E









[SEQIDNO:56]


5' GGA T**T**A TTG TTA- -AAT ATT GAT AAG GAT 3' \sim CCT A**N**T AAC AAT $\,$ TTA TAA CTA TTC CTA \sim


[SEQ ID NO: 57]


[SEQ ID NO: 58]

N = A (complementary), G,C,T (mismatched)

1. \(\taget DNA \)









.

B (

_ __

) E F G

8-01





FIG.35A








FIG. 36B

CATG

FIG.37A






FIG.37B








FIG. 39A

FIG. 39B

